

ITEM	QTY -011	P/N	DESCRIPTION
	X	D5549-011	FWD BEAM ASSEMBLY, LH
1	2	D2690-13	LANYARD ASSEMBLY
2	1	D5549-1	FWD BEAM
3	1	D5550-041	FWD OUTBOARD BEAM ASSEMBLY
4	2	D5553-1	BRACKET
5	1	D5554-3	BRACKET
6	9	AN4-26A	BOLT
7	1	AN4-27A	BOLT
8	2	MS17984-C725	PIN, QUICK RELEASE
9	6	MS20002C6	WASHER
10	10	MS21042L4	NUT, SELF-LOCKING
11	6	MS21042L6	NUT, SELF-LOCKING
12	6	MS21250-06030	BOLT
13	20	NAS1149D0463J	WASHER
14	6	NAS1149D0663J	WASHER
15	1	D2690-6 (D5549-041 LH For Figure 8 Exploded View)	LANYARD ASSEMBLY


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 25.95 lbs
 - 8) TORQUE MS21042L4 NUT TO 50-70 IN-LBS
 - 9) TORQUE MS21042L6 NUT TO 160-190 IN-LBS

APPROVED BY DESIGN MANAGER

A	NEW ISSUE	RF	17.07.24
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5549	SHEET 1 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.		FWD/AFT BEAM ASSEMBLY	NTS
DATE	17.07.24	COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

D
C
B
A

8 7 6 5 4 3 2 1



ITEM	QTY -012	P/N	DESCRIPTION
	X	D5549-012	FWD BEAM ASSEMBLY, RH
1	2	D2690-13	LANYARD ASSEMBLY
2	1	D5549-1	FWD BEAM
3	1	D5550-041	FWD OUTBOARD BEAM ASSEMBLY
4	2	D5553-1	BRACKET
5	1	D5554-3	BRACKET
6	9	AN4-26A	BOLT
7	1	AN4-27A	BOLT
8	2	MS17984-C725	PIN, QUICK RELEASE
9	6	MS20002C6	WASHER
10	10	MS21042L4	NUT, SELF-LOCKING
11	6	MS21042L6	NUT, SELF-LOCKING
12	6	MS21250-06030	BOLT
13	20	NAS1149D0463J	WASHER
14	6	NAS1149D0663J	WASHER
16	2	D2690-6 (D5549-041 LH For Figure 8 Exploded View)	LANYARD ASSEMBLY

D
C
B
A


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 25.95 lbs
 - 8) TORQUE MS21042L4 NUT TO 50-70 IN-LBS
 - 9) TORQUE MS21042L6 NUT TO 160-190 IN-LBS

D5549-012 FWD BEAM ASSEMBLY, RH

APPROVED BY DESIGN MANAGER

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO. D5549	REV. A
MFG. APPR.	JFS		SHEET 2 OF 8
APPROVED	HS	TITLE FWD/AFT BEAM ASSEMBLY	SCALE NTS
DE APPR.		COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	
DATE	17.07.24		

8 7 6 5 4 3 2 1




ITEM	QTY -013	P/N	DESCRIPTION
	X	D5549-013	AFT BEAM ASSEMBLY, LH
1	2	D2690-13	LANYARD ASSEMBLY
2	1	D5549-3	AFT BEAM
3	1	D5550-043	AFT OUTBOARD BEAM ASSEMBLY
4	2	D5553-1	BRACKET
5	10	AN4-26A	BOLT
6	2	MS17984-C725	PIN, QUICK RELEASE
7	6	MS20002C6	WASHER
8	10	MS21042L4	NUT, SELF-LOCKING
9	6	MS21042L6	NUT, SELF-LOCKING
10	6	MS21250-06030	BOLT
11	20	NAS1149D0463J	WASHER
12	6	NAS1149D0663J	WASHER

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 26.38 lbs
 - 8) TORQUE MS21042L4 NUT TO 50-70 IN-LBS
 - 9) TORQUE MS21042L6 NUT TO 160-190 IN-LBS

APPROVED BY DESIGN MANAGER

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO. D5549	REV. A
MFG. APPR.	JFS		SHEET 3 OF 8
APPROVED	HS	TITLE FWD/AFT BEAM ASSEMBLY	SCALE NTS
DE APPR.			
DATE	17.07.24	COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	




ITEM	QTY -014	P/N	DESCRIPTION
	X	D5549-014	AFT BEAM ASSEMBLY, RH
1	2	D2690-13	LANYARD ASSEMBLY
2	1	D5549-3	AFT BEAM
3	1	D5550-043	AFT OUTBOARD BEAM ASSEMBLY
4	2	D5553-1	BRACKET
5	10	AN4-26A	BOLT
6	2	MS17984-C725	PIN, QUICK RELEASE
7	6	MS20002C6	WASHER
8	10	MS21042L4	NUT, SELF-LOCKING
9	6	MS21042L6	NUT, SELF-LOCKING
10	6	MS21250-06030	BOLT
11	20	NAS1149D0463J	WASHER
12	6	NAS1149D0663J	WASHER


- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 26.38 lbs
 - 8) TORQUE MS21042L4 NUT TO 50-70 IN-LBS
 - 9) TORQUE MS21042L6 NUT TO 160-190 IN-LBS

D5549-014 AFT BEAM ASSEMBLY, RH

APPROVED BY DESIGN MANAGER

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5549	SHEET 4 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.		FWD/AFT BEAM ASSEMBLY	NTS
DATE	17.07.24	COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	





APPROVED BY DESIGN MANAGER

DESIGN	RF	DART AEROSPACE USA, INC. EUGENE, OR	
DRAWN	RF		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	JFS	D5549	SHEET 6 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.		FWD/AFT BEAM ASSEMBLY	NTS
DATE	17.07.24	COPYRIGHT © 2017 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

